


Installation manual

ACO Access Covers

SERVOKAT GD

- | | | | |
|------------|--|------------|--|
| ENG | Installation Manual
ACO Access Cover | EST | Paigaldusjuhend |
| GER | Installationsanleitung
ACO Schachtabdeckungen | LAV | Uzstādīšanas instrukcija
ACO Tehnisko lūku vāki |
| FRA | Instructions d´installation | LIT | Montavimo instrukcija
ACO apžiūros liukai |
| ESP | Manual De Instalación
ACO Tapas de registro | POL | Instrukcja montażu |
| POR | Manual de Instalação | BUL | Инструкции за инсталация |
| ITA | Manuale d´installazione
ACO Access Cover | HUN | Beépítési útmutató |
| NLD | Installatiehandleiding
ACO Toegangsluiken | RUM | Instructiuni de instalare |
| CZE | Instalační manuál | HRV | Upute za ugradnju |
| RUS | Инструкция По Установке | SLV | Navodila za vgradnjo |
| SWE | Installationsanvisning | SRP | Preporuka za ugradnju |
| NOR | Installasjons Manual | TUR | ACO Müdahale Kapakları |
| FIN | Asennusohje | | |
| DAN | Installationsvejledning | | |



ACO Access Covers SERVOKAT GD

Load class B 125

Order information – Galvanised steel

Clear opening (A x B)	External dimensions (C x D)	Frame height	Number of locks	Weight	Lock type NORMAL	Lock type EMERGENCY EXIT
[mm]	[mm]	[mm]		[kg]	Part No.	Part No.
600x600	744x744	170	1	100	58447	58606
600x800	744x944	170	2	120	59923	60162
700x700	844x844	170	1	120	59231	59232
700x1400	844x1544	170	2	200	59400	60163
800x800	944x944	170	2	150	58448	58607
800x1000	944x1144	170	2	170	59570	60164
1000x1000	1144x1144	170	2	200	58449	59924
1000x1500	1144x1644	170	2	270	60161	60165
1000x2000	1144x2144	170	3	340	58751	60166
1200x1200	1344x1344	170	2	260	58450	60167
1500x1500	1644x1644	170	2	350	685254	60168

Order information – Stainless steel

Clear opening (A x B)	External dimensions (C x D)	Frame height	Number of locks	Weight	Lock type NORMAL	Lock type EMERGENCY EXIT
[mm]	[mm]	[mm]		[kg]	Part No.	Part No.
600x600	889x744	335	1	120	59298	59301
600x800	889x944	335	2	140	59925	60395
700x700	989x844	335	1	140	59929	59302
700x1400	989x1544	335	2	220	60393	60396
800x800	1089x944	335	2	170	58451	59303
800x1000	1089x1144	335	2	190	60394	60397
1000x1000	1289x1144	335	2	220	58452	59304
1000x1500	1289x1644	335	2	290	60169	58608
1000x2000	1289x2144	335	3	380	59550	60398
1200x1200	1489x1344	335	2	280	59300	60399
1500x1500	1789x1644	335	2	380	59551	60400








Load class D 400






Order information – Galvanised steel






Clear opening (A x B)	External dimensions (C x D)	Frame height	Number of locks	Weight	Lock type NORMAL	Lock type EMERGENCY EXIT
[mm]	[mm]	[mm]		[kg]	Part No.	Part No.
600x600	889x744	335	1	130	59934	60936
600x800	889x944	335	2	150	59935	60937
700x700	989x844	335	1	150	59936	60938
700x1400	989x1544	335	2	250	60546	60939
800x800	1089x944	335	2	180	58453	58904
800x1000	1089x1144	335	2	200	59937	59554
1000x1000	1289x1144	335	2	240	58454	58711
1000x1500	1289x1644	335	2	320	58455	59305
1000x2000	1289x2144	335	3	420	58905	60940
1200x1200	1489x1344	335	2	310	59493	60941
1500x1500	1789x1644	335	2	430	58712	60942

Order information – Stainless steel



Clear opening (A x B)	External dimensions (C x D)	Frame height	Number of locks	Weight	Lock type NORMAL	Lock type EMERGENCY EXIT
[mm]	[mm]	[mm]		[kg]	Part No.	Part No.
600x600	889x744	335	1	130	59938	60457
600x800	889x944	335	2	150	60456	60458
700x700	989x844	335	1	150	59870	60460
700x1400	989x1544	335	2	250	60459	60461
800x800	1089x944	335	2	180	58611	58713
800x1000	1089x1144	335	2	200	58612	60462
1000x1000	1289x1144	335	2	240	58456	59939
1000x1500	1289x1644	335	2	320	60463	60464
1000x2000	1289x2144	335	3	420	59155	60465
1200x1200	1489x1344	335	2	310	59940	60466
1500x1500	1789x1644	335	2	440	59519	59520














$F \leq 25 \text{ kg}$ ✓
 $F > 25 \text{ kg}$ ✗

ACO. we care for water



Every ACO product supports
the ACO WaterCycle



-
- ACO Access Covers UNIFACE
 - ACO Access Covers PAVING
 - ACO Access Covers SOLID
 - ACO Access Covers SERVOKAT GD
-



ACO Industries k.s.

Havlickova 260
582 22 Pribyslav
Czech Republic

www.aco-accesscovers.com

NM11560 ACO Access Covers SERVOKAT GD Manual/EN/Q3/23